

## NATIONAL EARLY WARNING SCORING (NEWS) Supporting information

This guideline has been prepared with reference to the following:

NICE. National Early Warning Score systems that alert to deteriorating adult patients in hospital. 2020. London. NICE

<https://www.nice.org.uk/advice/mib205>

Department of Health Ireland. National early warning system. 2020. Dublin. Department of Health Ireland

<https://www.gov.ie/en/collection/cc5faa-national-early-warning-score-news/>

Royal College of Physicians. National Early Warning Score (NEWS) 2. 2017. London. RCP

<https://www.rcplondon.ac.uk/projects/outputs/national-early-warning-score-news-2>

NICE. Sepsis: recognition, diagnosis and early management. 2017. London. NICE

<https://www.nice.org.uk/guidance/NG51>

Dougherty L & Lister S. The Royal Marsden Manual of Clinical Nursing Procedures, Professional Edition. 2015. Chichester. Wiley-Blackwell

McGinley A, Pearse RM. A national early warning score for acutely ill patients. BMJ. 2012;345:e5310

<https://www.bmj.com/content/345/bmj.e5310.long>

NICE. Acutely ill adults in hospital: recognising and responding to deterioration. 2007. London. NICE

<http://www.nice.org.uk/guidance/cg50>

### Is NEWS a useful aid to clinical judgement?

A 2021 systematic review assessed the predictive power of NEWS for risk of mortality and hospital ward or intensive care unit (ICU) admission (Arévalo-Buitrago, 2021). The meta-analysis of 4 studies using the NEWS scale showed that it had good predictive power for mortality: the area under the curve (AUC) of the receiver operating characteristic was 0.88 (95% CI, 0.87 to 0.89) at 24 hours and 0.86 (95% CI 0.84 to 0.88) at 48 hours. The AUC for inhospital mortality was 0.77 (95% CI 0.74 to 0.80). The authors concluded that the NEWS score had adequate power for predicting risk of hospital ward and ICU admission.

A 2017 review evaluated the relative usefulness of a range of early warning scores in predicting intensive care (ICU) admission and mortality for patients in the emergency department and acute medical unit (Nannan Panday, 2017). For mortality prediction NEWS was the most accurate score in the general emergency department population and in those with respiratory distress. Mortality in Emergency Department Sepsis score (MEDS) had the best accuracy in patients with an infection or sepsis. ICU admission was best predicted with NEWS, however in patients with an infection or sepsis Modified Early Warning Score (MEWS) yielded better results for this outcome.

Arévalo-Buitrago P, Morales-Cané I, Luque EO et al. Predictive power of early-warning scores used in hospital emergency departments: a systematic review and meta-analysis. Emergencias. 2021;33:374-81

Nannan Panday RS, Minderhoud TC, Alam N et al. Prognostic value of early warning scores in the emergency department (ED) and acute medical unit (AMU): A narrative review. Eur J Intern Med. 2017;45:20-31

**Evidence Level: I**

**Last amended October 2023  
Last reviewed November 2023**

Not found an answer to your question? Wish to suggest an edit to this document?

Please contact the BCGP Clinical Effectiveness Librarian at [bedsideclinicalguidelines@uhn.nhs.uk](mailto:bedsideclinicalguidelines@uhn.nhs.uk)